◀FREUND▶

FREUND IP-INTEGRA
ACCESS CONTROL

INTERCOM-1 BLOK C

DOORS

BLOK C - DØR 1
Door

BLOK C - DØR 2
Door

INTERCOM-2 BLOK B

4258745600

TOR

BLOK A - DØR 1
Door

BLOK A - DØR 2
Door

8965478562

Intercoms

Keypad

Settings

AFFORDABLE QUALITY PRODUCTS AND SOLUTION THAT CAN BE SCALED IN NO TIME

FREUND IP-INTEGRA ACCESS CONTROL

Customize your access control needs with ease using our intuitive and user friendly solutions.

FE-MF-TWR

FREUND INTEGRA ACC offers options for employee time management by keeping records of when a person swipes in or out during the workday, as well as the booking of rooms in a given facility. Reservations can be made for premises, offices and others places in a company, thereby expanding the functionality of the standard access control system.

IP INTEGRA Access control simplify administration and facilitate your employees' work.
With INTEGRA you can customize and time-limit access authorizations. Check where and when guests have access, or give specific employees access to specific areas at predefined times. You can also incorporate holidays with just one click.

FE-MF-WR

IP INTEGRA ACCESS CONTROL can work with many different types of readers technologies. All INTEGRA products are CE-marked and comply with current EU legislation. With an IP INTEGRA Access control system your employees can gain access with a simple PIN password, keychain tag or card.

A Web-based Access Control system set up, No additional servers or software to install and configure!

BOX controllers have PoE+ support, so no additional power supplies are needed!

easily scalable system, where adding additional DIN BOX controllers for 2/4 doors is just plug-and-play, using FREUND clustering/auto-provisioning option!

customize your solution to your wishes and needs.

Acces Controler



FE-ACC-INT4D

FE-ACC-INT2D

Acces controler are IP/TCP based terminals that can control up to 2/4 doors respectively. They come in standard 6M/9M DIN BOX respectively. Both are PoE+ ready which sources 4 electrical locks. Four built-in 230AC/30VDC multipurpose relays can be used for door or lights control. They support the following interfaces: Wiegand 26/34, RS232, RS485, and USB. Intuitive WEB interface is used for configuration on a network PC or remotely.

Software

We provide web-based, user-friendly, and intuitive software to setup your Access Control System with just a few clicks. No external servers or software is needed for the system to work.

EXPAND IP-INTEGRA ACC SOLUTION WITH WITH IP-IN-TEGRA INTERCOM SO-LUTION AND MANAGE IT AS ONE SYSTEM.

EASY INTEGRATION WITH 3RD PARTS SYSTEMS LIKE FIRE PROTECTION, INTER-COM, ALARM SYSTEMS, SMART SMART HOME SY-STEMS ETC.

COMPLETE SOLUTION DE-VELOPED BY FREUND R&D TEAM MAKES POSSIBLE TO ADAPT SOLUTION AS AN OEM PRODUCT.